

2011

Product Guide



 A Wittern Group Company

www.uselectit.com



Advanced ergonomic options to make the purchasing experience more informative and convenient.

- Attractive silver door with new metallic gray molded interface panel**
 - Brings a softer elegant styling to your location
 - Available on Mercato 4000, 5000, 7000 and Alpine ST/VT 3000 & 5000 vendors
- LED lighting** enhances product presentation, requires no service for minimum of **5+ years** and reduces lighting energy costs by **40%** over fluorescent equipped models
- Optional Automatic Delivery Box (ADB)**
 - Door automatically opens allowing easy one handed retrieval of product
 - Available on Mercato 4000, 5000 & 7000 models
- Optional Kick Panel**
 - Carries door design lines to floor
 - Removes easily for cleaning
- Secondary peripheral opening**
Add credit/debit card reader or any other MDB device.
- Optional iCart touch screen interface**
NEW built-in, full color 7" LCD touch screen replaces traditional keypad and display
 - Customer interface and operator control/programming of machine
 - Used in conjunction with *inDEX* tool, communicates nutritional content of products in a simple and quick format

iCART




Nutritional & Machine Data Exchange Tool


Affords operator flexibility of:

- Off site/remote planogramming of products by selection
- Product nutritional information communication
- Remote pricing
- Machine DEX information upload and download via mobile hand held or direct via laptop

Edit Planogram Item




Dex Data



Display product & nutritional information, service messages, advertising and even Combo Vend cross selling specials.

Product List





Sample Configuration

10L	10R	10L	10R	10L	10R	10L	10R	10L	10R
10L	10R	10L	10R	10L	10R	10L	10R	10L	10R
12L	12R	12L	12R	12L	12R	12L	12R	12L	12R
10	10	10	10	10	10	10	10	15L	15R
18	18	18	18	18	18	18	18	30	30
15	15	15	15	15	15	24	40	40	40
10L	10R	10L	10R	10L	10R	10L	10R	10L	10R

Available with
Automatic
Delivery Box
(See Page 1)



Sample Configuration

10L	10R	10L	10R	10L	10R	10L	10R	10L	10R
10L	10R	10L	10R	10L	10R	10L	10R	10L	10R
12L	12R	12L	12R	12L	12R	12L	12R	12L	12R
12L	12R	12L	12R	12L	12R	15L	15R	15L	15R
HC	HC	30	30	15	15	18	18	24	24
10L	10R	10L	10R	10L	10R	10L	10R	10L	10R

Available with
Automatic
Delivery Box
(See Page 1)



Sample Configuration

10L	10R	10L	10R	10L	10R	10L	10R
10L	10R	10L	10R	10L	10R	10L	10R
12L	12R	12L	12R	12L	12R	12L	12R
12L	12R	12L	12R	12L	12R	12L	12R
HC	HC	30	30	15	15	18	18
10L	10R	10L	10R	10L	10R	10L	10R

Available with
Automatic
Delivery Box
(See Page 1)



Sample Configuration

12	12	12
12	12	12
18	18	18
18	18	18
Gum & Mint		
36	36	18
12	12	12



Standard Configuration

10	10
15	10
15	10
15	10
15	12
18	12

Mercato 7000

Selections	47 Standard; Configurable up to 75 items
Standard Configuration	723 Items (235 Snack / 294 Candy / 50 Pastry / 120 Gum & Mint)
Selection Pricing	Individual from \$0 to \$655.35
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS
Dimensions	Height 72"(183 cm) Width 41" (104 cm) Depth 34-1/4" (91 cm)
Shipping Weight	650 lbs. (285 kg)
Standard Features	GVC2 Controller with Scrolling VF Display, iVend® Delivery Sensor System, Back Lighted Braille Keypad, Gum & Mint Helixes
Options	Interface Styling Panel, iCart Touchscreen Interface, <i>inDEX</i> Tool, Automatic Delivery Box, LED Lighting, Additional Gum & Mint Tray, Custom Colors, Custom Graphics

Mercato 5000

Selections	35 Standard; Configurable up to 65 items
Standard Configuration	630 Items (176 Snack / 324 Candy / 50 Pastry / 80 Gum & Mint)
Selection Pricing	Individual from \$0 to \$655.35
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS
Dimensions	Height 72"(183 cm) Width 41" (104 cm) Depth 34-1/4" (87 cm)
Shipping Weight	*628 lbs. (284.9 kg) *Varies with tray configuration
Standard Features	GVC2 Controller with Scrolling VF Display, iVend® Delivery Sensor System, Back Lighted Braille Keypad, Gum & Mint Helixes
Options	Interface Styling Panel, iCart Touchscreen Interface, <i>inDEX</i> Tool, Automatic Delivery Box, LED Lighting, Dual Helix, Additional Gum & Mint Tray, Custom Colors, Custom Graphics

Mercato 4000

Selections	28 Standard; Configurable up to 53 items
Standard Configuration	474 Items (120 Snack / 234 Candy / 40 Pastry / 40 Gum & Mint)
Selection Pricing	Individual from \$0 to \$655.35
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS
Dimensions	Height 72"(183 cm) Width 35-5/32" (89 cm) Depth 34-1/4" (87 cm)
Shipping Weight	*519 lbs. (235.4 kg) *Varies with tray configuration
Standard Features	GVC2 Controller with Scrolling VF Display, iVend® Delivery Sensor System, Back Lighted Braille Keypad, Gum & Mint Helixes
Options	Interface Styling Panel, iCart Touchscreen Interface, <i>inDEX</i> Tool, Automatic Delivery Box, LED Lighting, Dual Helix, Additional Gum & Mint Tray, Custom Graphics

Mercato 3000

Selections	23 Standard; Configurable up to 36 items
Standard Configuration	384 Items (84 Snack / 180 Candy / 48 Pastry / 72 Gum & Mint)
Selection Pricing	Individual from \$0 to \$99.99
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS
Dimensions	Height 72"(183 cm) Width 29-5/16" (74 cm) Depth 34-1/8" (87 cm)
Shipping Weight	*445 lbs. (201.9 kg) *Varies with tray configuration
Standard Features	GVC1 Controller with 4 Digit LED Display, iVend® Delivery Sensor System, Back Lighted Braille Keypad, Gum & Mint Helix
Options	LED Lighting, Dual Helix, <i>inDEX</i> Tool (Pricing Only), Custom Colors, Custom Graphics


Mercato 2000 Snack Vendor

Selections	12 Standard
Standard Configuration	152 Items (74 Snack & Pastry / 78 Candy)
Selection Pricing	Individual from \$0 to \$99.99
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS
Dimensions	Height 68"(173 cm) Width 21" (53.3 cm) Depth 33-1/2" (85 cm)
Shipping Weight	363 lbs. (164.7 kg)
Standard Features	GVC1 Lite Controller with 4 Digit LED Display, Braille Keypad
Options	<i>inDEX</i> Tool (Pricing Only), 4" Legs, Custom Colors, Custom Graphics




*Note 1

Sample Configurations




*Note 1

Sample Configurations



*Note 1

Sample Configuration



Alpine ST/VT5000

Selections	Up to 60 items
Capacity	Varies with tray configuration
Selection Pricing	Individual from \$0 to \$655.35
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 9.5 AMPS International: 230 VAC/50Hz, 4.8 AMPS; With Heated Glass: 115 VAC/60Hz, 10.5 AMPS International: 230 VAC/50Hz, 5.2 AMPS
Refrigeration	Super 1/3 HP, R134a Closed System
Dimensions	Height 72"(183 cm) Width 41" (104 cm) Depth 38" (97 cm)
Shipping Weight	*975 lbs. (442 kg) <i>*Varies with tray configuration</i>
Standard Features	GVC2 Controller, LED Lighting, iVend® Sensor System, Can & Bottle Trays, Heated Glass
Options	Interface Styling Panel, iCart Touchscreen Interface, inDEX Tool, 6th Tray, Dual Helix, High Capacity Can Tray, inDEX Tool, Custom Helix and Tray Configurations, Custom Colors, Custom Graphics

Alpine ST/VT5000 Outdoor

Selections	Up to 60 items
Capacity	Varies with tray configuration
Selection Pricing	Individual from \$0 to \$655.35
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 9.5 AMPS International: 230 VAC/50Hz, 4.8 AMPS With Heated Glass: 115 VAC/60Hz, 10.5 AMPS International: 230 VAC/50Hz, 5.2 AMPS
Refrigeration	Super 1/3 HP, R134a Closed System
Dimensions	Height 72"(183 cm) Width 41" (104 cm) Depth 38" (97 cm)
Shipping Weight	*975 lbs. (442 kg) <i>*Varies with tray configuration</i>
Standard Features	GVC2 Controller, LED Lighting, iVend® Sensor System, Can & Bottle Trays, Heated Glass
Options	6th Tray, Dual Helix, High Capacity Can Tray, inDEX Tool, High Security Kit, Custom Graphics


Alpine ST/VT3000

Selections	Up to 36 items
Capacity	Varies with tray configuration
Selection Pricing	Individual from \$0 to \$655.35
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 7.0 AMPS International: 230 VAC/50Hz, 3.5 AMPS With Heated Glass: 115 VAC/60Hz, 8.0 AMPS International: 230 VAC/50Hz, 4.0 AMPS
Refrigeration	Super 1/3 HP, R134a Closed System
Dimensions	Height 72"(183 cm) Width 29-1/2" (75 cm) Depth 38" (97 cm)
Shipping Weight	*725 lbs. (328 kg) <i>*Varies with tray configuration</i>
Standard Features	GVC2 Controller, LED Lighting, iVend® Sensor System, Can & Bottle Trays, Heated Glass
Options	Interface Styling Panel, 6th Tray, High Capacity Can Tray, inDEX Tool, Custom Colors, Custom Graphics

Refrigerated & Frozen Food



Sample Configuration




Alpine Combi 3000 Cold/Frozen

Selections	Up to 36 items
Selection Pricing	Individual from \$0 to \$655.35
Standard Capacity	320 Items, Configurable up to 540
Payment Systems	All Industry standard MDB compatible devices
Data Communication	DEX/UCS
Electrical Requirements	Domestic: 115 VAC/60Hz, 13 AMPS International: 230 VAC/50Hz, 6.5 AMPS
Refrigeration	5/8 HP, R-404a System
Temperature Range	-15 degrees F through 36 degrees F
Dimensions	Height 72"(183 cm) Width 29-1/2" (75 cm) Depth 38" (97 cm)
Shipping Weight	*725 lbs. (328 kg) <i>*Varies with tray configuration</i>
Standard Features	iVend® Delivery Sensor System, inDEX Tool, LED lighting, Heated Glass, High Efficiency Modular Refrigeration System
Options	Can & Bottle Tray, Custom Graphics

* This product qualifies for Energy Star only when operated as a can & bottle machine per the Energy Star Regulation. However the inherent energy efficiencies do carry over when vending other products.



Sample Configuration



Alpine Combi Satellite Cold/Frozen

Selections	22 Standard; Up to 30 items		
Selection Pricing	Individual from \$0 to \$655.35 through GVC2 controlled host; \$0 to \$99.99 with GVC1 host		
Standard Capacity	Refrigerated: 41 Frozen: 148		
Payment Systems	All industry standard MDB compatible devices through M3000-7000 snack host, Alpine ST/VT or SC100 controller (Excludes M2000 snack)		
Data Communication	USD/DEX/UCS		
Electrical Requirements	Domestic: 115 VAC/60Hz, 8.0 AMPS International: 230 VAC/50Hz, 3.5 AMPS		
Refrigeration	1/2 HP, R-404a Closed System		
Temperature Range	-15 degrees F through 36 degrees F		
Dimensions	Height	72" (183 cm)	Width 22" (56 cm) Depth 37" (94 cm)
Shipping Weight	610 lbs. (276.7 kg)		
Standard Features	iVend® Delivery Sensor System, LED lighting, Heated Glass, High Efficiency Modular Refrigeration System		
Options	Custom Colors, Custom Graphics		

Bottle & Can Cold Beverage Merchandisers



Summit 700 Cold Drink Vendor

Selections	12 Items		
Standard Capacities	12 oz (355 ml) Can: 728 *20 oz (591ml) Bottle: 322 *24 oz (710 ml) Bottle: 322 <i>*Capacities vary depending on packaging.</i>		
Pricing	Individual from \$0 to \$99.99		
Payment Systems	All industry standard MDB compatible devices		
Data Communication	DEX/UCS		
Electrical Requirements	Domestic: 115 VAC/60Hz., 7.2 AMPS International: 230 VAC/50Hz 3.75 AMPS		
Dimensions	Height	72" (183 cm)	Width 42" (106 cm) Depth 33-1/2" (85 cm)
Shipping Weight	856 lbs. (388.3 kg)		
Refrigeration	Super 1/3 Hp, R134a Closed System		
Standard Features	Delivery Drop Sensor; Live Product Display, Eye Catching Back Lighted Display		
Options	High Efficiency Package , inDEX Tool (Pricing Only), Custom Graphics, Extra 16.9oz filler, 250ml kit, 500 ml kit		



Summit 500 Cold Drink Vendor

Selections	10 Items		
Standard Capacities	12 oz (355 ml) Can: 500 *20 oz (591ml) Bottle: 240 *24 oz (710 ml) Bottle: 240 <i>*Capacities vary depending on packaging.</i>		
Selection Pricing	Individual from \$0 to \$99.99		
Payment Systems	All industry standard MDB compatible devices		
Data Communication	DEX/UCS		
Electrical Requirements	Domestic: 115 VAC/60Hz., 7.0 AMPS International: 230 VAC/50Hz 3.5 AMPS		
Dimensions	Height	72" (183 cm)	Width 31-1/4" (79.4 cm) Depth 33-1/4" (84.5 cm)
Shipping Weight	667 lbs. (308.6 kg)		
Refrigeration	1/3 Hp, R134a Closed System		
Standard Features	Delivery Drop Sensor, Live Product Display, Eye Catching Back Lighted Display		
Options	High Efficiency Package , inDEX Tool (Pricing Only), Custom Colors, Custom Graphics, Extra 16.9oz filler, 250ml kit, 500 ml kit		



Summit 300 Stand Alone / Satellite Cold Drink Vendor

Selections	6 Items		
Standard Capacities	12 oz (355 ml) Can: 312 *20 oz (591ml) Bottle: 144 *24 oz (710 ml) Bottle: 144 <i>*Capacities vary depending on packaging.</i>		
Selection Pricing	Individual from \$0 to \$99.95		
Payment Systems	All industry standard coin & bill MDB compatible devices; Satellite payment through host snack		
Electrical Requirements	Domestic: 120 VAC/60Hz., 4.0 AMPS International: 230 VAC/50Hz 3.0 AMPS		
Dimensions	Height	68" (173 cm)	Width 21" (53 cm) Depth 33-1/2" (85 cm)
Shipping Weight	Stand Alone 508 lbs. (230.4 kg); Satellite 475 lbs. (215.5 kg)		
Refrigeration	1/3 Hp, R134a Closed System		
Standard Features	Delivery Drop Sensor, Live Product Display, Eye Catching Back Lighted Display		
Options	Extra 16.9oz filler, 250ml kit, 500 ml kit, Custom Colors, Custom Graphics, 4" Legs		



SC100 Satellite Controller (Connects with Alpine Combi and Summit 300 Satellite)					
Selection Pricing	Individual from \$0 to \$655.35				
Payment Systems	All Industry standard MDB compatible devices				
Data Communication	USD/DEX/UCS				
Electrical Requirements	Domestic: 115 VAC/60Hz, 1.2 AMPS International: 230 VAC/50Hz, 0.6 AMPS				
Dimensions	Height	72"(183 cm)	Width	12" (30.5 cm)	Depth 33-3/8" (84.8 cm)
Shipping Weight	175 lbs. (79.4 kg)				
Features	GVC2 Controller; Point of Sale Display				
Options	<i>inDEX</i> Tool, Custom Graphics				

Hot Beverage



Models Available
Fresh Brew
Freeze Dried
Bean-to-Cup!



Geneva Hot Beverage Merchandiser					
Selections	Up to 36 beverage combinations of Coffee, Specialty Coffees, Hot chocolate, Tea, Cappuccino & Espresso				
Standard Capacities	7 oz (210 ml) squat cups : 487 ; 12 oz (355 ml) cups : 384 Accommodates cups up to a lip diameter of 3.55" (90.5 mm)				
Pricing	Individual from \$0 to \$65.35				
Payment Systems	All Industry standard MDB compatible devices				
Data Communication	DEX/UCS, EVA-DTS compatible, Smart Card Utility				
Electrical Requirements	Domestic: 115 VAC/60Hz., 9.5 AMPS; International: 230 VAC/50Hz 9 AMPS				
Dimensions	Height	72"(183 cm)	Width	28" (71 cm)	Depth 28" (71 cm)
Shipping Weight	360 lbs. (163 kg)				
Water Requirements	Min. 0.8 Bar (80Kpa) - Max. 1 Bar (1000 Kpa)				
Standard Features	iVend® Delivery Sensor System; Advanced power management system, Automatic delivery door, Timed free vend, Discounting, One touch servicing				
Options	Fresh Brew, Freeze Dry and New Bean-to-Cup Models, <i>inDEX</i> Tool, Smart Card Programming, LED lighting, Custom Colors, Custom Graphics				

Chilled Filtered Water



Ecoasis Chilled Refreshment Merchandiser					
Selections	1 Chilled filtered water; 3 Flavored chilled filtered water				
Selection Pricing	Individual from \$0 to \$655.35				
Standard Capacity	Up to 425 x 12 oz Plastic Cups ; Size Range 7 oz to 12 oz (Max. 3.2"/82mm Diameter)				
Payment Systems	All Industry standard MDB compatible devices				
Data Communication	DEX/UCS				
Electrical Requirements	Domestic: 120 VAC/60Hz, 2.6 AMPS International: 230 VAC/50Hz, 1.5 AMPS				
Refrigeration	1/10 HP; R134a Eco Friendly Flash Chiller				
Dimensions	Height	72"(183 cm)	Width	25" (63.5 cm)	Depth 30" (76.2 cm)
Shipping Weight	325 lbs. (147.4 kg)				
Standard Features	GVC2 Controller, Power Saving LED Lighting; Water Filter Change Indication; Scrolling VF Display, iVend® Cup Delivery Sensor				
Options	High Capacity Chiller; 3rd Flavored Water, <i>inDEX</i> Tool, Custom Colors, Custom Graphics				

Features & Options

U-Select-It's full line of vendors are packed full of features and available options to help you market more effectively.



Electronic controller and operator interface

- Expanded sales and accounting features
- Backlight keypad with Braille identification




- Bright LED display

MDB/DEX capable

Interfaces with all industry standard MDB devices including coin & bill acceptors

- Standard peripheral opening included for add on devices including card readers and other cashless systems
Except Mercato 2000



LED Lighting options

Enhances product presentation and promotes sales 10% or more. No bulb servicing for 5 years (Up to 10 on frozen models). Reduces energy costs by 40% over fluorescent models and is eco friendly.



ADB
Automatic Delivery Box

Optional Automatic Delivery Box (ADB)

Door automatically opens allowing easy one handed retrieval of product. Available on Mercato 7000, 5000 & 4000 models.



Flex shelf technology

USI vendors feature the most versatile trays on the market with features that make a difference in your bottom line.

- Tilting shelves for easy loading
- Drop in motors and snap in dividers for quick in-field configuration changes without the need for tools
- Adjustable snack and candy selections
 - Full snack (5 3/4"W)
 - 3/4 snack (4 5/16"W)
 - Candy (2 7/8"W)
- 360 - degree helix adjustability in 20 - degree increments provides flexibility to vend virtually anything



Optional Tray and Helix Configurations

Single and Dual Helix configurations allow great flexibility in package dispensing.



Heated Glass

Optimum for use in high humidity locations. Standard on Alpine ST/VT 3000 & 5000, Alpine Combi 3000 & Satellite




Custom Graphics

Make your brand, product and marketing initiatives stand out with billboard graphics applied to your equipment.



Optional Kick Panel

Removable bottom panel provides aesthetically pleasing continuous presentation.



iVend® ensured delivery sensing technology

Infrared sensor system virtually eliminates misvends and ensures that your customers receive their products or their money back.



Optional Gum & Mint Tray

New optional Gum & Mint Tray on Mercato 4000, 5000 and 7000 dispenses blister pack gum, rolled mints and even popular energy shots.



Versatile Steel Beverage Tray Option

Holds up to 60 canned or bottle beverages. 9 and 10 Select Trays Available



Optional High Capacity Can Tray

Add up to 150 - 12 oz cans to your Alpine ST & VT vendors with this patented option.



High Security Kit

Impact resistant Lexan window cover, rain guards and anti-pry covers provide superior resistance to the elements, vandals and thieves. *Some features vary by model please consult manufacturer.



Optional Smart Card Programming

Upload pre-configured settings to one or multiple Geneva hot beverage merchandisers.

Other cash & credit payment systems including international available.

Please contact U-Select-It for quote.



Conlux CCM5G Series

Coin Changers

CONLUX

<u>Model</u>	<u>Type</u>	<u>Currency/Capacity</u>
CCM5G.1	MDB	5 Tube Cassette - 5¢, 10¢, 25¢, 25¢, 25¢
CCM5G.2	MDB	5 Tube Cassette - 5¢, 5¢, 10¢, 10¢, 25¢
CCM5G.4	MDB	5 Tube Cassette - 5¢, 10¢, 25¢, 25¢, \$1
CCM5G.5	MDB	5 Tube Cassette - 5¢, 5¢, 10¢, 10¢, 10¢

More Models available (Call)

CONLUX®

mei

CF-7512	MDB	5 Tube Cassette - 5¢, 5¢, 10¢, 25¢, 25¢
CF-7512	MDB	5 Tube Cassette - 5¢, 10¢, 25¢, 25¢, \$1

More Models available (Call)

mei™



MEI CASHFLOW Series 7000

Bill Validators

CONLUX

<u>Model</u>	<u>Type</u>	<u>Currency/Capacity</u>
NBM.3110	MDB	U.S. 700 Bill Capacity - \$1-\$5 and Coupon - Bottler Front Bezel
NBM.3120	MDB	U.S. 400 Bill Capacity - \$1-\$5 and Coupon - Bottler Front Bezel
NBM.3130	MDB	U.S. 700 Bill Capacity - \$1-\$5 and Coupon - Full Line Front Bezel
NBM.3140	MDB	U.S. 400 Bill Capacity - \$1-\$5 and Coupon - Full Line Front Bezel
NBM.3540	MDB	U.S. 400 Bill Capacity - \$1-\$20 and Coupon - Full Line Front Bezel

More Models available (Call)

mei

CASHFLOW Series 2000

VN2702 U5M	MDB	U.S. 435-500 Bill Capacity - \$1-\$20 with VFM Style Front Bezel
VN27C2 U5M	MDB	U.S. 435-500 Bill Capacity - \$1-\$20 with High Viz Bezel - VFM Recycler
VN2762RU5M	MDB	U.S. 435-500 Bill Capacity - \$1-\$20 Side Swipe Cashless Bezel w/ Recycler

More Models available (Call)

Credit/Debit Acceptors

mei

<u>Model</u>	<u>Type</u>	
VN27A2 U5M	MDB	U.S. 435-500 Bill Capacity - \$1-\$20 with 4 in 1 credit card no set back
VN2762 U5M	MDB	U.S. 435-500 Bill Capacity - \$1-\$20 with credit card side swipe bezel

More Models available (Call)



Conlux NBM 3000 Series



MEI Series 2000



MEI VNR Recycler



MEI 4-in-1



MEI - EASITRAX
Remote Data Port
Available with Wide
Area & Local Area
Network Options
(Call for Details)

Competitive Financing Available

**Call for current
Rates & Promotions!**

2 Year Warranty

U-Select-It warrants each of its vending machines to the original purchaser for indoor use under the following provisions:
VendNet will replace or repair any part covered by the warranty which fails due to a defect in material or workmanship for two years*

*Contact U-Select-It for a full details on warranty coverage.